







































- [4] Newman MEJ, Leicht EA. Mixture models and exploratory analysis in networks. Proc. of the National Academy of Sciences of the United States of America, 2007,104(23):9564–9569. [doi: 10.1073/pnas.0610537104]
- [5] Karrer B, Newman MEJ. Stochastic blockmodels and community structure in networks. Physical Review E, 2011,83(1):016107. [doi: 10.1103/PhysRevE.83.016107]
- [6] Yang T, Chi Y, Zhu S, Gong Y, Jin R. Detecting communities and their evolutions in dynamic social networks—A Bayesian approach. Machine Learning, 2011,82(2):157–189. [doi: 10.1007/s10994-010-5214-7]
- [7] Yang B, Liu JM, Liu DY. Characterizing and extracting multiplex patterns in complex networks. IEEE Trans. on Systems Man and Cybernetics, Part B—Cybernetics, 2012,42(2):469–481. [doi: 10.1109/TSMCB.2011.2167751]
- [8] Snijders TA, Nowicki K. Estimation and prediction for stochastic blockmodels for graphs with latent block structure. Journal of Classification, 1997,14(1):75–100. [doi: 10.1007/s003579900004]
- [9] Shen HW, Cheng XQ, Guo JF. Exploring the structural regularities in networks. Physical Review E, 2011,84(5):056111. [doi: 10.1103/PhysRevE.84.056111]
- [10] Decelle A, Krzakala F, Moore C, Zdeborova L. Inference and phase transitions in the detection of modules in sparse networks. Physical Review Letters, 2011,107(6):065701. [doi: 10.1103/PhysRevLett.107.065701]
- [11] Daudin JJ, Picard F, Robin S. A mixture model for random graphs. Statistics and Computing, 2008,18(2):173–183. [doi: 10.1007/s11222-007-9046-7]
- [12] Hofman JM, Wiggins CH. Bayesian approach to network modularity. Physical Review Letters, 2008,100(25):258701. [doi: 10.1103/PhysRevLett.100.258701]
- [13] Latouche P, Birmele E, Ambroise C. Variational Bayesian inference and complexity control for stochastic block models. Statistical Modelling, 2012,12(1):93–115. [doi: 10.1177/1471082X1001200105]
- [14] Figueiredo MAT, Jain AK. Unsupervised learning of finite mixture models. IEEE Trans. on Pattern Analysis and Machine Intelligence, 2002,24(3):381–396. [doi: 10.1109/34.990138]
- [15] Ramasco JJ, Mungan M. Inversion method for content-based networks. Physical Review E, 2008,77(3):036122. [doi: 10.1103/PhysRevE.77.036122]
- [16] Celeux G, Chretien S, Forbes F, Mkhadri A. A component-wise EM algorithm for mixtures. Journal of Computational and Graphical Statistics, 2001,10(4):697–712. [doi: 10.1198/106186001317243403]
- [17] Girvan M, Newman MEJ. Community structure in social and biological networks. Proc. of the National Academy of Sciences of the United States of America, 2002,99(12):7821–7826. [doi: 10.1073/pnas.122653799]
- [18] Lancichinetti A, Fortunato S, Kertész J. Detecting the overlapping and hierarchical community structure in complex networks. New Journal of Physics, 2009,11(3):033015. [doi: 10.1088/1367-2630/11/3/033015]
- [19] Lusseau D, Schneider K, Boisseau OJ, Haase P, Slooten E, Dawson SM. The bottlenose dolphin community of doubtful sound features a large proportion of long-lasting associations—Can geographic isolation explain this unique trait? Behavioral Ecology and Sociobiology, 2003,54(4):396–405. [doi: 10.1007/s00265-003-0651-y]
- [20] Gleiser PM, Danon L. Community structure in jazz. Advances in Complex Systems, 2003,6(4):565–573. [doi: 10.1142/S0219525903001067]
- [21] Batageli V, Mrvar A. Pajek datasets. <http://vlado.fmf.uni-lj.si/pub/networks/data/default.htm>
- [22] Newman MEJ. Finding community structure in networks using the eigenvectors of matrices. Physical Review E, 2006,74(3):036104. [doi: 10.1103/PhysRevE.74.036104]
- [23] Duch J, Arenas A. Community detection in complex networks using extremal optimization. Physical Review E, 2005,72(2):027104. [doi: 10.1103/PhysRevE.72.027104]
- [24] Lü L, Jin CH, Zhou T. Similarity index based on local paths for link prediction of complex networks. Physical Review E, 2009, 80(4):046122. [doi: 10.1103/PhysRevE.80.046122]
- [25] Ball B, Karrer B, Newman MEJ. Efficient and principled method for detecting communities in networks. Physical Review E, 2011, 84(3):036103. [doi: 10.1103/PhysRevE.84.036103]



赵学华(1977—),男,山东莘县人,博士,讲师,主要研究领域为数据挖掘,复杂网络。



陈贺昌(1987—),男,博士生,主要研究领域为数据挖掘,复杂网络。



杨博(1974—),男,博士,教授,博士生导师,CCF 高级会员,主要研究领域为数据挖掘,复杂网络。