































- [6] Pearce P, Felt AP, Nunez G, Wagner D. AdDroid: Privilege separation for applications and advertisers in Android. In: Proc. of the 7th ACM Symp. on Information, Computer and Communications Security (ASIACCS 2012). New York: ACM Press, 2012. 71–72. [doi: 10.1145/2414456.2414498]
- [7] Shekhar S, Dietz M, Wallach DS. AdSplit: Separating smartphone advertising from applications. In: Proc. of the 21st USENIX Conf. on Security Symp. (Security 2012). 2012.
- [8] Liu B, Liu B, Jin HX, View R. Efficient privilege de-escalation for ad libraries in mobile apps. In: Proc. of the 13th Int'l Conf. on Mobile Systems, Applications, and Services (MobiSys 2015). New York: ACM Press, 2015. 89–103. [doi: 10.1145/2742647.2742668]
- [9] Lin JL, Amini S, Hong JI, Sadeh N, Lindqvist J, Zhang J. Expectation and purpose: Understanding users' mental models of mobile app privacy through crowdsourcing. In: Proc. of the 2012 ACM Conf. on Ubiquitous Computing. New York: ACM Press, 2012. 501–510. [doi: 10.1145/2370216.2370290]
- [10] Lin JL, Liu B, Sadeh N, Hong JI. Modeling users' mobile app privacy preferences: Restoring usability in a sea of permission settings. In: Proc. of the 2014 Symp. on Usable Privacy and Security (SOUPS 2014). 2014.
- [11] Wang HY, Hong JI, Guo Y. Using text mining to infer the purpose of permission use in mobile apps. In: Proc. of the 2015 ACM Int'l Joint Conf. on Pervasive and Ubiquitous Computing. New York: ACM Press, 2015. 1107–1118. [doi: 10.1145/2750858.2805833]
- [12] Grace MC, Zhou W, Jiang XX, Sadeghi AR. Unsafe exposure analysis of mobile in-app advertisements. In: Proc. of the 5th ACM Conf. on Security and Privacy in Wireless and Mobile Networks. New York: ACM Press, 2012. 101–112. [doi: 10.1145/2185448.2185464]
- [13] Crussell J, Gibler C, Chen H. Attack of the clones: Detecting cloned applications on Android markets. In: Proc. of the 17th European Symp. on Research in Computer Security. Berlin, Heidelberg: Springer-Verlag, 2012. [doi: 10.1007/978-3-642-33167-1\_3]
- [14] Zhou W, Zhou YJ, Jiang XX, Ning P. Detecting repackaged smartphone applications in third-party Android marketplaces. In: Proc. of the 2nd ACM Conf. on Data and Application Security and Privacy. New York: ACM Press, 2012. 317–326. [doi: 10.1145/2133601.2133640]
- [15] Hanna S, Huang L, Wu E, Li S, Chen C, Song D. Juxtapp: A scalable system for detecting code reuse among Android applications. In: Proc. of the 9th Conf. on Detection of Intrusions and Malware and Vulnerability Assessment. Berlin, Heidelberg: Springer-Verlag, 2012. 62–81. [doi: 10.1007/978-3-642-37300-8\_4]
- [16] Wang HY, Wang ZY, Guo Y, Chen XQ. Detecting repackaged Android applications based on code clone detection technique. *Science China: Information Sciences*, 2014,44(1):142–157 (in Chinese with English abstract). [doi: 10.1360/N112013-00130]
- [17] Gibler C, Stevens R, Crussell J, Chen H, Zang H, Choi H. AdRob: Examining the landscape and impact of Android application plagiarism. In: Proc. of the 11th Annual Int'l Conf. on Mobile Systems, Applications, and Services. New York: ACM Press, 2013. 431–444. [doi: 10.1145/2462456.2464461]
- [18] Chen K, Liu P, Zhang YJ. Achieving accuracy and scalability simultaneously in detecting application clones on Android markets. In: Proc. of the 36th Int'l Conf. on Software Engineering. New York: ACM Press, 2014. 175–186. [doi: 10.1145/2568225.2568286]
- [19] Wang HY, Guo Y, Ma ZA, Chen XQ. WuKong: A scalable and accurate two-phase approach to Android app clone detection. In: Proc. of the ACM Int'l Symp. on Software Testing and Analysis. New York: ACM Press, 2015. 71–82. [doi: 10.1145/2771783.2771795]
- [20] Android library statistics. <http://www.appbrain.com/stats/libraries/>
- [21] Narayanan A, Chen LH, Chan CK. AdDetect: Automated detection of Android ad libraries using semantic analysis. In: Proc. of IEEE the 9th Int'l Conf. on Intelligent Sensors, Sensor Networks and Information Processing. Washington: IEEE Computer Society, 2014. 1–6. [doi: 10.1109/ISSNIP.2014.6827639]
- [22] Crussell J, Gibler C, Chen H. AnDarwin: Scalable detection of Android application clones based on semantics. *IEEE Trans. on Mobile Computing*, 2015,14(10):2007–2019. [doi: 10.1109/TMC.2014.2381212]
- [23] Mojica Ruiz IJ, Nagappan M, Adams B, Berger T, Dienst S, Hassan AE. Impact of ad libraries on ratings of Android mobile apps. *IEEE Software*, 2014,31(6):86–92. [doi: 10.1109/MS.2014.79]

- [24] Ma ZA, Wang HY, Guo Y, Chen XQ. LibRadar: Fast and accurate detection of third-party libraries in Android apps. In: Proc. of the 38th Int'l Conf. on Software Engineering Companion. New York: ACM Press, 2016. 653–656. [doi: 10.1145/2889160.2889178]
- [25] Apktool. Android-Apktool. <https://code.google.com/p/android-apktool/>
- [26] ProGuard. ProGuard. <https://proguard.sourceforge.net/>
- [27] Au YKW, Zhou YF, Huang Z, Lie D. PScout: Analyzing the Android permission specification. In: Proc. of the 2012 ACM Conf. on Computer and Communications Security. New York: ACM Press, 2012. 217–228. [doi: 10.1145/2382196.2382222]
- [28] Content provider (URI strings) with permissions. [http://pscout.csl.toronto.edu/download.php?file=results/jellybean\\_contentproviderpermission](http://pscout.csl.toronto.edu/download.php?file=results/jellybean_contentproviderpermission)
- [29] Documented API calls mappings. [http://pscout.csl.toronto.edu/download.php?file=results/jellybean\\_publishedapimapping](http://pscout.csl.toronto.edu/download.php?file=results/jellybean_publishedapimapping)
- [30] Intents with permissions. [http://pscout.csl.toronto.edu/download.php?file=results/jellybean\\_intentpermissions](http://pscout.csl.toronto.edu/download.php?file=results/jellybean_intentpermissions)
- [31] Rasthofer S, Arzt S, Bodden E. A machine-learning approach for classifying and categorizing Android sources and sinks. In: Proc. of the 2014 Network and Distributed System Security Symp. 2014.
- [32] Wikipedia. Naive Bayes classifier. [http://en.wikipedia.org/wiki/Naive\\_Bayes\\_classifier](http://en.wikipedia.org/wiki/Naive_Bayes_classifier)
- [33] Wikipedia. Maximum entropy classifier. [http://en.wikipedia.org/w/index.php?title=Maximum\\_entropy\\_classifier&redirect=no](http://en.wikipedia.org/w/index.php?title=Maximum_entropy_classifier&redirect=no)
- [34] Wikipedia. C4.5 algorithm. [http://en.wikipedia.org/wiki/C4.5\\_algorithm](http://en.wikipedia.org/wiki/C4.5_algorithm)
- [35] Mallet: MACHine learning for LanguagE toolkit. <http://mallet.cs.umass.edu/>

#### 附中文参考文献:

- [16] 王浩宇,王仲禹,郭耀,陈向群.基于代码克隆检测技术的 Android 应用重打包检测.中国科学:信息科学,2014,44(1):142–157. [doi: 10.1360/N112013-00130]



王浩宇(1991—),男,河南周口人,博士,讲师,主要研究领域为移动计算,安全隐私,程序分析.



马子昂(1992—),男,硕士生,主要研究领域为移动应用安全分析.



郭耀(1976—),男,博士,副教授,CCF 高级会员,主要研究领域为操作系统,软件工程,移动计算.



陈向群(1961—),女,博士,教授,博士生导师,CCF 高级会员,主要研究领域为系统软件,软件工程,移动计算.