

- [11] Ding H, Chen L, Qian J, Xu L, Xu BW. Fault localization method using information quantity. *Ruan Jian Xue Bao/Journal of Software*, 2013,24(7):1484–1494 (in Chinese with English abstract). <http://www.jos.org.cn/1000-9825/4294.htm> [doi: 10.3724/SP.J.1001.2013.04294]
- [12] Wong WE, Debroy V, Gao R, Li Y. The dstar method for effective software fault localization. *IEEE Trans. on Reliability*, 2014, 63(1):290–308. [doi: 10.1109/TR.2013.2285319]
- [13] Xie XY, Chen TY, Kuo FC, Xu BW. A theoretical analysis of the risk evaluation formulas for spectrum-based fault localization. *ACM Trans. on Software Engineering and Methodology (TOSEM)*, 2013,22(4):31. [doi: 10.1145/2522920.2522924]
- [14] Steimann F, Frenkel M, Abreu R. Threats to the validity and value of empirical assessments of the accuracy of coverage-based fault locators. In: *Proc. of the 2013 Int'l Symp. on Software Testing and Analysis*. 2013. 314–324. [doi: 10.1145/2483760.2483767]
- [15] Naish L, Lee HJ, Ramamohanarao K. A model for spectra-based software diagnosis. *ACM Trans. on Software Engineering and Methodology (TOSEM)*, 2011,20(3):11:1–11:32. [doi: 10.1145/2000791.2000795]
- [16] Chen TY, Xie XY, Kuo FC, Xu BW. A revisit of a theoretical analysis on spectrum-based fault localization. In: *Proc. of the 2015 IEEE 39th Annual Computer Software and Applications Conf. (COMPSAC)*. 2015. 17–22. [doi: 10.1109/COMPSAC.2015.196]
- [17] Yoo S, Xie XY, Kuo FC, Chen TY, Harman M. No pot of gold at the end of program spectrum rainbow: Greatest risk evaluation formula does not exist. Technical Report, London: University College London, 2014. 1–19.
- [18] Abreu R, Zoetewij P, Van Gemund AJ. On the accuracy of spectrum-based fault localization. In: *Proc. of the Testing: Academic and Industrial Conf. on Practice and Research Techniques*. 2007. 89–98. [doi: 10.1109/TAIC.PART.2007.13]
- [19] Willett P. Similarity-Based approaches to virtual screening. *Biochemical Society Transactions*, 2003,31(3):603–606. [doi: 10.1042/bst0310603]
- [20] Xu J, Zhang ZY, Chan WK, Tse T, Li SP. A general noise-reduction framework for fault localization of Java programs. *Information and Software Technology*, 2013,55(5):880–896. [doi: 10.1016/j.infsof.2012.08.006]
- [21] Dallmeier V, Lindig C, Zeller A. Lightweight defect localization for Java. In: *Proc. of the European Conf. on Object-Oriented Programming*. 2005. 528–550. [doi: 10.1007/11531142_23]
- [22] Le TDB, Oentaryo RJ, Lo D. Information retrieval and spectrum based bug localization: Better together. In: *Proc. of the 2015 10th Joint Meeting on Foundations of Software Engineering*. 2015. 579–590. [doi: 10.1145/2786805.2786880]
- [23] Wong WE, Qi Y. Effective program debugging based on execution slices and inter-block data dependency. *Journal of Systems and Software*, 2006,79(7):891–903. [doi: 10.1016/j.jss.2005.06.045]
- [24] Wen WZ, Li BX, Sun XB, Li J. Program slicing spectrum-based software fault localization. In: *Proc. of the Int'l Conf. on Software Engineering and Knowledge Engineering*. 2011. 213–218. [doi: 10.1109/ICSE.2012.6227049]
- [25] Masri W, Abou-Assi R, El-Ghali M, Al-Fatairi N. An empirical study of the factors that reduce the effectiveness of coverage-based fault localization. In: *Proc. of the 2nd Int'l Workshop on Defects in Large Software Systems: Held in Conjunction with the ACM SIGSOFT Int'l Symp. on Software Testing and Analysis (ISSTA 2009)*. 2009. 1–5. [doi: 10.1145/1555860.1555862]
- [26] Xie XY, Kuo FC, Chen TY, Yoo S, Harman M. Provably optimal and human-competitive results in sbse for spectrum based fault localisation. In: *Proc. of the 5th Symp. on Search-Based Software Engineering (SSBSE 2013)*. 2013. 224–238. [doi: 10.1007/978-3-642-39742-4_17]
- [27] Chen X, Ju XL, Wen WZ, Gu Q. Review of dynamic fault localization approaches based on program spectrum. *Ruan Jian Xue Bao/Journal of Software*, 2015,26(2):390–412(in Chinese with English abstract). <http://www.jos.org.cn/1000-9825/4708.htm> [doi: 10.13328/j.cnki.jos.004708]
- [28] Do H, Elbaum S, Rothermel G. Supporting controlled experimentation with testing techniques: An infrastructure and its potential impact. *Empirical Software Engineering*, 2005,10(4):405–435. [doi: 10.1007/s10664-005-3861-2]
- [29] Wong WE, Debroy V, Golden R, Xu X, Thuraisingham B. Effective software fault localization using an RBF neural network. *IEEE Trans. on Reliability*, 2012,61(1):149–169. [doi: 10.1109/TR.2011.2172031]

附中文参考文献:

- [3] 文万志,李必信,孙小兵,刘翠翠.一种基于层次切片谱的软件错误定位技术.软件学报,2013,24(5):977–992. <http://www.jos.org.cn/1000-9825/4342.htm> [doi: 10.3724/SP.J.1001.2013.04342]

- [11] 丁晖,陈林,钱巨,许蕾,徐宝文.一种基于信息量的缺陷定位方法.软件学报,2013,24(7):1484–1494. <http://www.jos.org.cn/1000-9825/4294.htm> [doi: 10.3724/SP.J.1001.2013.04294]
- [27] 陈翔,鞠小林,文万志,顾庆.基于程序频谱的动态缺陷定位方法研究.软件学报,2015,26(2):390–412. <http://www.jos.org.cn/1000-9825/4708.htm> [doi: 10.13328/j.cnki.jos.004708]



舒挺(1979—),男,浙江宁海人,博士,副教授,CCF 专业会员,主要研究领域为软件建模,分析与测试.



王磊(1991—),男,硕士生,主要研究领域为软件测试,缺陷定位.



黄明献(1989—),男,硕士,主要研究领域为软件测试.



夏劲松(1967—),男,讲师,主要研究领域为自适应软件建模与验证,协同工程,数据分析.



丁佐华(1964—),男,博士,教授,博士生导师,CCF 高级会员,主要研究领域为软件测试与可靠性,软件建模与分析,软件自适应控制系统,智能计算及应用.

www.jos.org.cn