

- [12] Stolee KT, Elbaum S. Exploring the use of crowdsourcing to support empirical studies in software engineering. In: Proc. of the ACM/IEEE Int'l Symp. on Empirical Software Engineering and Measurement. Bolzano-Bozen: ACM Press, 2010. 1–4. [doi: 10.1145/1852786.1852832]
- [13] Bari E, Johnston M, Tsai W, Wu W. Software crowdsourcing practices and research directions. In: Proc. of the IEEE Symp. on Service-Oriented System Engineering. 2016. 372–379. [doi: 10.1109/SOSE.2016.69]
- [14] Latoza T, Hoek A. Crowdsourcing in software engineering: Models, motivations, and challenges. *IEEE Software*, 2016,33(1):74–80. [doi: 10.1109/MS.2016.12]
- [15] Zhao Y, Zhu Q. Evaluation on crowdsourcing research: Current status and future direction. *Information Systems Frontiers*, 2014, 16(3):417–434. [doi: 10.1007/s10796-012-9350-4]
- [16] Yuen M, King I, Leung K. A survey of crowdsourcing systems. In: Proc. of the 3rd IEEE Int'l Conf. on Privacy, Security, Risk and Trust, and IEEE Int'l Conf. on Social Computing. Boston, 2011. 766–773. [doi: 10.1109/PASSAT/SocialCom.2011.203]
- [17] Kittur A, Nickerson JV, Bernstein MS, Gerber EM, Shaw A, Zimmerman J, Lease M, Horton JJ. The future of crowd work. In: Proc. of the 2013 ACM Conf. on Computer Supported Cooperative Work. San Antonio, 2013. 1301–1318. [doi: 10.1145/2441776.2441923]
- [18] Doan A, Ramakrishnan R, Halevy AY. Crowdsourcing systems on the World-Wide Web. *Communications of the ACM*, 2011,54(4): 86–96. [doi: 10.1145/1924421.1924442]
- [19] Chittilappilly AI, Chen L, Amer-Yahia S. A survey of general-purpose crowdsourcing techniques. *IEEE Trans. on Knowledge and Data Engineering*, 2016,28(9):2246–2266. [doi: 10.1109/TKDE.2016.2555805]
- [20] Tong YX, Yuan Y, Cheng YR, Chen L, Wang GR. A survey of spatiotemporal crowdsourced data management techniques. *Ruan Jian Xue Bao/Journal of Software*, 2017,28(1):35–58 (in Chinese with English abstract). <http://www.jos.org.cn/1000-9825/5140.htm> [doi: 10.13328/j.cnki.jos.005140]
- [21] Estellésarolas E. Towards an integrated crowdsourcing definition. *Journal of Information Science*, 2012,38(2):189–200. [doi: 10.1177/0165551512437638]
- [22] Chen KT, Wu CC, Chang YC, Lei CL. A crowdsourcable QoE evaluation framework for multimedia content. In: Proc. of the 17th ACM Int'l Conf. on Multimedia. ACM Press, 2009. 491–500. [doi: 10.1145/1631272.1631339]
- [23] Chen KT, Chang CJ, Wu CC, Chang YC, Lei CL. Quadrant of euphoria: A crowdsourcing platform for QoE assessment. *IEEE Network the Magazine of Global Internet Working*, 2010,24(2):28–35. [doi: 10.1109/MNET.2010.5430141]
- [24] Wu CC, Chen KT, Chang YC, Lei CL. Crowdsourcing multimedia QoE evaluation: A trusted framework. *IEEE Trans. on Multimedia*, 2013,15(5):1121–1137. [doi: 10.1109/TMM.2013.2241043]
- [25] Hossfeld T, Keimel C, Timmerer C. Crowdsourcing quality-of-experience assessments. *Computer*, 2014,47(9):98–102. [doi: 10.1109/MC.2014.245]
- [26] Hossfeld T, Keimel C, Hirth M, Gardlo B, Habigt J, Diepold K, TranGia P. Best practices for QoE crowdtesting: QoE assessment with crowdsourcing. *IEEE Trans. on Multimedia*, 2014,16(2):541–558. [doi: 10.1109/TMM.2013.2291663]
- [27] Gardlo B, Ries M, Hoßfeld T, Schatz R. Microworkers vs. facebook: The impact of crowdsourcing platform choice on experimental results. In: Proc. of the 4th IEEE Int'l Workshop on Quality of Multimedia Experience. 2012. 35–36. [doi: 10.1109/QoMEX.2012.6263885]
- [28] Gardlo B. Quality of experience evaluation methodology via crowdsourcing [Ph.D. Thesis]. Slovakia: University of Zilina, 2012.
- [29] Gardlo B, Egger S, Seufert M, Schatz R. Crowdsourcing 2.0: Enhancing execution speed and reliability of Web-based QoE testing. In: Proc. of the IEEE Int'l Conf. on Communications. 2014. 1070–1075. [doi: 10.1109/ICC.2014.6883463]
- [30] Sun H, Zhang W, Yan M, Liu X. Recommending Web services using crowdsourced testing data. In: *Crowdsourcing*. Berlin, Heidelberg: Springer-Verlag, 2015. 219–241. [doi: 10.1007/978-3-662-47011-4_12]
- [31] Seufert M, Zach O, Hoßfeld T, Slanina M, TranGia P. Impact of test condition selection in adaptive crowdsourcing studies on subjective quality. In: Proc. of the IEEE 8th Int'l Conf. on Quality of Multimedia Experience. 2016. 1–6. [doi: 10.1109/QoMEX.2016.7498939]
- [32] Liu D, Bias RG, Lease M, Kuipers R. Crowdsourcing for usability testing. *American Society for Information Science and Technology*, 2012,49(1):1–10. [doi: 10.1002/meet.14504901100]
- [33] Meier F, Bazo A, Burghardt M, Wolff C. Evaluating a Web-based tool for crowdsourced navigation stress tests. In: Proc. of the Int'l Conf. of Design, User Experience, and Usability. Berlin, Heidelberg: Springer-Verlag, 2013. 248–256. [doi: 10.1007/978-3-642-39253-5_27]

- [34] Schneider C, Cheung T. The power of the crowd: Performing usability testing using an on-demand workforce. In: Proc. of the Information Systems Development. New York: Springer-Verlag, 2013. 551–560. [doi: 10.1007/978-1-4614-4951-5_44]
- [35] Gomide VHM, Valle PA, Ferreira JO, Barbosa JR G, da Rocha AF, de Barbosa TMGA. Affective crowdsourcing applied to usability testing. *Int'l Journal of Computer Science and Information Technologies*, 2014,5(1):575–579.
- [36] Nebeling M, Speicher M, Grossniklaus M, Norrie MC. Crowdsourced Web site evaluation with crowdstudy. In: Proc. of the Int'l Conf. on Web Engineering. Berlin, Heidelberg: Springer-Verlag, 2012. 494–497. [doi: 10.1007/978-3-642-31753-8_52]
- [37] Khan AI, Al-khanjari Z, Sarraf M. Crowd sourced testing through end users for mobile learning application in the context of bring your own device. In: Proc. of the IEEE 7th Annual Conf. on Information Technology, Electronics and Mobile Communication. 2016. 1–6. [doi: 10.1109/IEMCON.2016.7746256]
- [38] Vliedendhart R, Dolstra E, Pouwelse J. Crowdsourced user interface testing for multimedia applications. In: Proc. of the ACM Multimedia 2012 Workshop on Crowdsourcing for Multimedia. ACM Press, 2012. 21–22. [doi: 10.1145/2390803.2390813]
- [39] Dolstra E, Vliedendhart R, Pouwelse J. Crowdsourcing GUI tests. In: Proc. of the 6th IEEE Int'l Conf. on Software Testing, Verification and Validation. 2013. 332–341. [doi: 10.1109/ICST.2013.44]
- [40] Komarov S, Reinecke K, Gajos KZ. Crowdsourcing performance evaluations of user interfaces. In: Proc. of the SIGCHI Conf. on Human Factors in Computing Systems. ACM Press, 2013. 207–216. [doi: 10.1145/2470654.2470684]
- [41] Musson R, Richards J, Fisher D, Bird C, Bussone B, Ganguly S. Leveraging the crowd: How 48000 users helped improve LYNC performance. *IEEE Software*, 2013,30(4):38–45. [doi: 10.1109/MS.2013.67]
- [42] Chen N, Kim S. Puzzle-Based automatic testing: Bringing humans into the loop by solving puzzles. In: Proc. of the 27th IEEE/ACM Int'l Conf. on Automated Software Engineering. ACM Press, 2012. 140–149. [doi: 10.1145/2351676.2351697]
- [43] Pham R, Singer L, Schneider K. Building test suites in social coding sites by leveraging drive-by commits. In: Proc. of the 2013 Int'l Conf. on Software Engineering. IEEE Press, 2013. 1209–1212. [doi: 10.1109/ICSE.2013.6606680]
- [44] Gómez M, Rouvoy R, Adams B, Seinturier L. Reproducing context-sensitive crashes of mobile apps using crowdsourced monitoring. In: Proc. of the ACM Int'l Workshop on Mobile Software Engineering and Systems. 2016. 88–99. [doi: 10.1109/MobileSoft.2016.033]
- [45] Pastore F, Mariani L, Fraser G. Crowdoracles: Can the crowd solve the oracle problem? In: Proc. of the 6th IEEE Int'l Conf. on Software Testing, Verification and Validation. 2013. 342–351. [doi: 10.1109/ICST.2013.13]
- [46] Bachrach Y, Minka T, Guiver J, Graepel T. How to grade a test without knowing the answers—A Bayesian graphical model for adaptive crowdsourcing and aptitude testing. In: Proc. of the 29th Int'l Conf. on Machine Learning. Edinburgh, 2012. 1183–1190. <https://icml.cc/2012/>
- [47] Chen F, Kim S. Crowd debugging. In: Proc. of the ACM Joint Meeting on Foundations of Software Engineering. 2015. 320–332. [doi: 10.1145/2786805.2786819]
- [48] Petrillo F, Lacerda G, Pimenta M, Freitas C. Visualizing interactive and shared debugging sessions. In: Proc. of the IEEE Working Conf. on Software Visualization. Bremen, 2015. 140–144. [doi: 10.1109/VISSOFT.2015.7332425]
- [49] Petrillo F, Soh Z, Khomh F, Pimenta M, Freitas C, Guéhéneuc YG. Towards understanding interactive debugging. In: Proc. of the IEEE Int'l Conf. on Software Quality, Reliability and Security. 2016. 152–163. [doi: 10.1109/QRS.2016.27]
- [50] Badashian AS, Hindle A, Stroulia E. Crowdsourced bug triaging. In: Proc. of the IEEE Int'l Conf. on Software Maintenance and Evolution. 2015. 506–510. [doi: 10.1109/ICSM.2015.7332503]
- [51] Badashian AS, Hindle A, Stroulia E. Crowdsourced bug triaging: Leveraging Q&A platforms for bug assignment. In: Proc. of the Int'l Conf. on Fundamental Approaches to Software Engineering. Berlin, Heidelberg: Springer-Verlag, 2016. 231–248. [doi: 10.1007/978-3-662-49665-7_14]
- [52] Sherief N, Jiang N, Hosseini M, Phalp K, Ali R. Crowdsourcing software evaluation. In: Proc. of the 18th ACM Int'l Conf. on Evaluation and Assessment in Software Engineering. 2014. 19. [doi: 10.1145/2601248.2601300]
- [53] Sherief N. Software evaluation via users' feedback at runtime. In: Proc. of the 18th Int'l Conf. on Evaluation and Assessment in Software Engineering. 2014. 1–4. <http://ease2014.org/>
- [54] Blanco R, Halpin H, Herzig DM, Mika P, Pound J, Thompson HS. Repeatable and reliable search system evaluation using crowdsourcing. In: Proc. of the 34th Int'l ACM SIGIR Conf. on Research and Development in Information Retrieval. 2011. 923–932. [doi: 10.1145/2009916.2010039]
- [55] Mäntylä MV, Ikonen J. More testers—The effect of crowd size and time restriction in software testing. *Information and Software Technology*, 2013,55(6):986–1003. [doi: 10.1016/j.infsof.2012.12.004]


- [56] Chen Z, Luo B. Quasi-Crowdsourcing testing for educational projects. In: Proc. of the 36th ACM Int'l Conf. on Software Engineering. 2014. 272–275. [doi: 10.1145/2591062.2591153]
- [57] Tung YH, Tseng SS. A novel approach to collaborative testing in a crowdsourcing environment. Journal of Systems and Software, 2013,86(8):2143–2153. [doi: 10.1016/j.jss.2013.03.079]
- [58] Guo S, Chen R, Li H. A real-time collaborative testing approach for Web application: Via multi-tasks matching. In: Proc. of the IEEE Int'l Conf. on Software Quality, Reliability and Security Companion. 2016. 61–68. [doi: 10.1109/QRS-C.2016.13]
- [59] Feng Y, Chen Z, Jones JA, Fang C, Xu B. Test report prioritization to assist crowdsourced testing. In: Proc. of the 10th ACM Joint Meeting on Foundations of Software Engineering. 2015. 225–236. [doi: 10.1145/2786805.2786862]
- [60] Feng Y, Jones JA, Chen Z, Fang C. Multi-Objective test report prioritization using image understanding. In: Proc. of the IEEE/ACM Int'l Conf. on Automated Software Engineering. 2016. 202–213. [doi: 10.1145/2970276.2970367]
- [61] Wang J, Wang S, Cui Q, Wang Q, Li M, Zhai J. Local-Based active classification of test report to assist crowdsourced testing. In: Proc. of the IEEE/ACM Int'l Conf. on Automated Software Engineering. 2016. 190–201. [doi: 10.1145/2970276.2970300]
- [62] Wang J, Cui Q, Wang Q, Wang S. Towards effectively test report classification to assist crowdsourced testing. In: Proc. of the ACM/IEEE Int'l Symp. on Empirical Software Engineering and Measurement. 2016. 6–16. [doi: 10.1145/2961111.2962584]
- [63] Zogaj S, Bretschneider U, Leimeister JM. Managing crowdsourced software testing: A case study based insight on the challenges of a crowdsourcing intermediary. Journal of Business Economics, 2014,84(3):375–405. [doi: 10.1007/s11573-014-0721-9]
- [64] Guaiani F, Muccini H. Crowd and laboratory testing, can they co-exist? An exploratory study. In: Proc. of the 2nd IEEE/ACM Int'l Workshop on CrowdSourcing in Software Engineering. 2015. 32–37. [doi: 10.1109/CSI-SE.2015.14]
- [65] Teinum A. User testing tool: Towards a tool for crowdsource-enabled accessibility evaluation of Web sites [MS. Thesis]. Agder: University of Agder, 2013.
- [66] Nebeling M, Speicher M, Norrie MC. CrowdStudy: General toolkit for crowdsourced evaluation of Web interfaces. In: Proc. of the ACM SIGCHI Symp. on Engineering Interactive Computing Systems. 2013. 255–264. [doi: 10.1145/2480296.2480303]
- [67] Starov O. Cloud platform for research crowdsourcing in mobile testing [MS. Thesis]. East Carolina University, 2013.
- [68] Zogaj S, Bretschneider U. Crowdttesting with testcloud—Managing the challenges of an intermediary in a crowdsourcing business model. In: Proc. of the European Conf. on Information Systems. 2013. 143–157. [doi: 10.2139/ssrn.2475415]
- [69] Yan M, Sun H, Liu X. iTest: Testing software with mobile crowdsourcing. In: Proc. of the 1st Int'l Workshop on Crowd-Based Software Development Methods and Technologies. 2014. 19–24. [doi: 10.1145/2666539.2666569]
- [70] Xue H. Using redundancy to improve security and testing [Ph.D. Thesis]. University of Illinois at Urbana-Champaign, 2013.
- [71] Liang CJM, Lane ND, Brouwers N, Zhang L, Karlsson BF, Liu H, Liu Y, Tang J, Shan X, Chandra R, Zhao F. Caiipa: Automated large-scale mobile app testing through contextual fuzzing. In: Proc. of the 20th Annual Int'l Conf. on Mobile Computing and Networking. 2014. 519–530. [doi: 10.1145/2639108.2639131]
- [72] Rao P, Dubey A, Virdi G. Crowdsourced testing for enterprises: Experiences. In: Proc. of the Workshop on Alternate Workforces for Software Engineering. 2015. 56–57. <http://ceur-ws.org/Vol-1519/>
- [73] Sharma M, Padmanaban R. Leveraging the Wisdom of the Crowd in Software Testing. Boca Raton: CRC Press, 2014.
- [74] Memon A, Banerjee I, Nagarajan A. GUI ripping: Reverse engineering of graphical user interfaces for testing. In: Proc. of the 10th Working Conf. on Reverse Engineering. 2003. 260–269. [doi: 10.1109/WCRE.2003.1287256]
- [75] Microsoft LYNC. <http://office.microsoft.com/lync>
- [76] Chrome telemetry. <http://www.chromium.org/developers/telemetry>
- [77] Firefox telemetry. <https://telemetry.mozilla.org>
- [78] Sen K, Agha G. CUTE and jCUTE: Concolic unit testing and explicit path model-checking tools. In: Ball T, Jones R, eds. Proc. of the Computer Aided Verification. LNCS 4144, 2006. 419–423. [doi: 10.1007/11817963_38]
- [79] Pacheco C, Lahiri SK, Ernst MD, Ball T. Feedback-Directed random test generation. In: Proc. of the 29th Int'l Conf. on Software Engineering. 2007. 75–84. [doi: 10.1109/ICSE.2007.37]
- [80] Tillmann N, De Halleux J. Pex-White box test generation for .NET. In: Beckert B, Hhnle R, eds. Proc. of the 2nd Int'l Conf. on Tests and Proofs. LNCS 4966, 2008. 134–153. [doi: 10.1007/978-3-540-79124-9_10]
- [81] Barr ET, Harman M, McMinn P, Shahbaz M, Yoo S. The oracle problem in software testing: A survey. IEEE Trans. on Software Engineering, 2015,41(5):507–525. [doi: 10.1109/TSE.2014.2372785]
- [82] Allamanis M, Sutton C. Mining idioms from source code. In: Proc. of the ACM Sigsoft Int'l Symp. on Foundations of Software Engineering. 2014. 472–483. [doi: 10.1145/2635868.2635901]

- [83] Lawrance J, Bogart C, Burnett M, Bellamy R, Rector K, Fleming SD. How programmers debug, revisited: An information foraging theory perspective. *IEEE Trans. on Software Engineering*, 2013,39(2):197–215. [doi: 10.1109/TSE.2010.111]
- [84] Zhang J, Wang X, Hao D, Bing X, Lu Z, Hong M. A survey on bug-report analysis. *Science China Information Sciences*, 2015, 58(2):1–24. [doi: 10.1007/s11432-014-5241-2]
- [85] Xia X, Wang XY, Yang XH, Lo D. Bug-Report management and ananalysis of open-sourced software systms. *Communications of the CCF*, 2016,2:29–34 (in Chinese with English abstract).
- [86] Bruch M. *Ide 2.0: Leveraging the wisdom of the software engineering crowds* [Ph.D. Thesis]. Technische Universität Darmstadt, 2012.
- [87] Ponzanelli L. *Exploiting crowd knowledge in the ide* [MS. Thesis]. Universita Della Svizzera Italiana, 2012.
- [88] Zagalsky A, Barzilay O, Yehudai A. Example overflow: Using social media for code recommendation. In: *Proc. of the 3rd IEEE Int'l Workshop on Recommendation Systems for Software Engineering*. 2012. 38–42. [doi: 10.1109/RSSE.2012.6233407]
- [89] Kittur A, Chi EH, Suh B. Crowdsourcing user studies with mechanical Turk. In: *Proc. of the ACM SIGCHI Conf. on Human Factors in Computing Systems*. 2008. 453–456. [doi: 10.1145/1357054.1357127]
- [90] Zhang ZQ, Pang JS, Xie XQ, Zhou Y. Research on crowdsourcing quality control strategies and evaluation algorithm. *Chinese Journal of Computers*, 2013,36(8):1636–1649 (in Chinese with English abstract).
- [91] Singla A, Krause A. Truthful incentives in crowdsourcing tasks using regret minimization mechanisms. In: *Proc. of the 22nd ACM Int'l Conf. on World Wide Web*. 2013. 1167–1178. [doi: 10.1145/2488388.2488490]
- [92] Zhao D, Li XY, Ma H. How to crowdsource tasks truthfully without sacrificing utility: Online incentive mechanisms with budget constraint. In: *Proc. of the IEEE INFOCOM 2014—IEEE Conf. on Computer Communications*. 2014. 1213–1221. [doi: 10.1109/INFOCOM.2014.6848053]
- [93] Wu Y, Zeng JR, Peng H, Chen H, Li CP. Survey on incentive mechanisms for crowd sensing. *Ruan Jian Xue Bao/Journal of Software*, 2016,27(8):2025–2047 (in Chinese with English abstract). <http://www.jos.org.cn/1000-9825/5049.htm> [doi: 10.13328/j.cnki.jos.005049]
- [94] Singer Y, Mittal M. Pricing mechanisms for crowdsourcing markets. In: *Proc. of the 22nd ACM Int'l Conf. on World Wide Web*. 2013. 157–1166. [doi: 10.1145/2488388.2488489]
- [95] Morschheuser B, Hamari J, Koivisto J. Gamification in crowdsourcing: A review. In: *Proc. of the IEEE Hawaii Int'l Conf. on System Sciences*. 2016. 4375–4384. [doi: 10.1109/HICSS.2016.543]
- [96] Hu Z, Wu W. A game theoretic model of software crowdsourcing. In: *Proc. of the IEEE Int'l Symp. on Service Oriented System Engineering*. 2014. 446–453. [doi: 10.1109/SOSE.2014.79]
- [97] Xie T. Cooperative testing and analysis: Human-Tool, tool-tool, and human-human cooperations to get work done. In: *Proc. of the 12th IEEE Int'l Working Conf. on Source Code Analysis and Manipulation (Keynote)*. 2012. [doi: 10.1109/SCAM.2012.31]
- [98] Wang X, Zhang L, Xie T, Anvik J, Sun J. An approach to detecting duplicate bug reports using natural language and execution information. In: *Proc. of the Int'l Conf. on Software Engineering*. Leipzig, 2008. 461–470. [doi: 10.1145/1368088.1368151]
- [99] Sun C, Lo D, Wang X, Jiang J, Khoo S. A discriminative model approach for accurate duplicate bug report retrieval. In: *Proc. of the ACM/IEEE Int'l Conf. on Software Engineering*. 2010. 45–54. [doi: 10.1145/1806799.1806811]
- [100] Bettenburg N, Premraj R, Zimmermann T. Duplicate bug reports considered harmful ... really? In: *Proc. of the IEEE Int'l Conf. on Software Maintenance*. 2008. 337–345. [doi: 10.1109/ICSM.2008.4658082]
- [101] Xuan J, Jiang H, Ren Z, Yan J, Luo Z. Automatic bug triage using semi-supervised text classification. In: *Proc. of the 22nd Int'l Conf. on Software Engineering and Knowledge Engineering*. 2010. 209–214. <http://www.ksi.edu/seke/seke10.html>
- [102] Xuan J, Jiang H, Ren Z, Zou W. Developer prioritization in bug repositories. In: *Proc. of the 34th IEEE Int'l Conf. on Software Engineering*. 2012. 25–35. [doi: 10.1109/ICSE.2012.6227209]
- [103] Hu H, Zhang H, Xuan J, Sun W. Effective bug triage based on historical bug-fix information. In: *Proc. of the IEEE Int'l Symp. on Software Reliability Engineering*. Naples, 2014. 122–132. [doi: 10.1109/ISSRE.2014.17]
- [104] Xia X, Lo D, Wang X, Zhou B. Dual analysis for recommending developers to resolve bugs. *Journal of Software Evolution & Process*, 2015,27(3):195–220. [doi: 10.1002/smr.1706]
- [105] Yang X, Lo D, Xia X, Bao L, Sun J. Combining word embedding with information retrieval to recommend similar bug reports. In: *Proc. of the IEEE Int'l Symp. on Software Reliability Engineering*. 2016. 127–137. [doi: 10.1109/ISSRE.2016.33]
- [106] Xia X, Lo D, Ding Y, Al-Kofahi JM, Nguyen TN, Wang X. Improving automated bug triaging with specialized topic model. *IEEE Trans. on Software Engineering*, 2017,43(3):272–297. [doi: 10.1109/TSE.2016.2576454]

- [107] Mani S, Catherine R, Sinha VS, Dubey A. AUSUM: Approach for unsupervised bug report summarization. In: Proc. of the ACM SIGSOFT, Int'l Symp. on the Foundations of Software Engineering. 2012. 1–11. [doi: 10.1145/2393596.2393607]
- [108] Rastkar S, Murphy GC, Murray G. Automatic summarization of bug reports. IEEE Trans. on Software Engineering, 2014,40(4): 366–380. [doi: 10.1109/TSE.2013.2297712]
- [109] Bettenburg N, Just S, Schröter A, Weiss C, Premraj R, Zimmermann T. What makes a good bug report? In: Proc. of the ACM SIGSOFT Int'l Symp. on Foundations of Software Engineering. Atlanta, 2008. 308–318. <http://dblp.uni-trier.de/db/conf/sigsoft/fse2008.html>
- [110] Zhou J, Zhang H, Lo D. Where should the bugs be fixed? More accurate information retrieval-based bug localization based on bug reports. In: Proc. of the ACM/IEEE Int'l Conf. on Software Engineering. Zurich, 2012. 14–24. <https://files.ifi.uzh.ch/icseweb/>
- [111] Feng Y, Liu Q, Dou M, Liu J, Chen Z. Mubug: A mobile service for rapid bug tracking. Science China Information Sciences, 2016, 59(1):1–5. [doi: 10.1007/s11432-015-5506-4]
- [112] Liao XK, Li SS, Dong W, Jia ZY, Liu XD, Zhou SL. Survey on log research of large scale software system. Ruan Jian Xue Bao/ Journal of Software, 2016,27(8):1934–1947 (in Chinese with English abstract). <http://www.jos.org.cn/1000-9825/4936.htm> [doi: 10.13328/j.cnki.jos.004936]

附中文参考文献:

- [3] 冯剑红,李国良,冯建华.众包技术研究综述.计算机学报,2015,38(9):1713–1725. [doi: 10.11897/SP.J.1016.2015.01713]
- [20] 童咏昕,袁野,成雨蓉,陈雷,王国仁.时空众包数据管理技术研究综述.软件学报,2017,28(1):35–58. <http://www.jos.org.cn/1000-9825/5140.htm> [doi: 10.13328/j.cnki.jos.005140]
- [85] 夏鑫,王新宇,杨小虎,David Lo.开源软件系统缺陷报告管理与分析.计算机学会通讯,2016,2:29–34.
- [90] 张志强,逢居升,谢晓芹,周永.众包质量控制策略及评估算法研究.计算机学报,2013,36(8):1636–1649.
- [93] 吴垚,曾菊儒,彭辉,陈红,李翠平.群智感知激励机制研究综述.软件学报,2016,27(8):2025–2047. <http://www.jos.org.cn/1000-9825/5049.htm> [doi: 10.13328/j.cnki.jos.005049]
- [112] 廖湘科,李姗姗,董威,贾周阳,刘晓东,周书林.大规模软件系统日志研究综述.软件学报,2016,27(8):1934–1947. <http://www.jos.org.cn/1000-9825/4936.htm> [doi: 10.13328/j.cnki.jos.004936]



章晓芳(1980—),女,福建连江人,博士,副教授,CCF 专业会员,主要研究领域为软件分析与测试,众包软件工程,强化学习.



陈振宇(1978—),男,博士,教授,博士生导师,CCF 高级会员,主要研究领域为测试自动化,群体智能,众包测试,众包数据分析,数据分析,开发者社交网络.



冯洋(1988—),男,硕士,主要研究领域为众包软件工程,软件测试,程序理解,软件仓库挖掘.



徐宝文(1961—),男,博士,教授,博士生导师,CCF 会士,主要研究领域为程序设计语言,软件工程(软件方法论,软件分析,度量与测试),Web 技术.



刘颀(1994—),男,学士,主要研究领域为众包软件测试,强化学习.