




















































- [27] Wang Z, Zhang J, Feng J, Chen Z. Knowledge graph and text jointly embedding. In: Proc. of the Conf. on Empirical Methods in Natural Language Processing. 2014. 1591–1601. [doi: 10.3115/v1/D14-1167]
- [28] Blanco R, Cambazoglu BB, Mike P, Torzec N. Entity recommendation in Web search. In: Proc. of the 12th Int'l Semantic Web Conf. (ISWC). Berlin: Springer-Verlag, 2013. 33–48. [doi: 10.1007/978-3-642-41338-4\_3]
- [29] Cao Q, Zhao YM. The realization process and related applications of knowledge graph. Information Studies: Theory & Application (ITA), 2015,12(38):127–132.
- [30] Mtimes. Retrieved January 13, 2018, from Mimes: <http://www.mtime.com/>
- [31] Sinha A, Shen Z, Song Y, Ma H, Eide D, Hsu B, Wang K. An overview of Microsoft academic service (MAS) and applications. 2015. 243–246. [doi: 10.1145/2740908.2742839]
- [32] Nandi A, Yu C, Bohannon P, Ramakrishnan R. Distributed cube materialization on holistic measures. In: Proc. of the IEEE Int'l Conf. on Data Engineering. IEEE Computer Society, 2011. 183–194. [doi: 10.1109/ICDE.2011.5767884]
- [33] Sergey K, Yury K. Applying Map-Reduce paradigm for parallel closed cube computation. In: Proc. of the Int'l Conf. on Advances in Databases, Knowledge, and Data Applications. IEEE, 2009. 62–67. [doi: 10.1109/DBKDA.2009.32]
- [34] Hannachi L, Benlidia N, Bentayeb F, Boussaid O. Social microblogging cube. In: Proc. of the 16th Int'l Workshop on Data Warehousing and Olap. 2013. 19–26. [doi: 10.1145/2513190.2513200]
- [35] Rehman NU, Weiler A, Scholl MH. OLAPing social media: The case of Twitter. In: Proc. of the IEEE/ACM Int'l Conf. on Advances in Social Networks Analysis and Mining. IEEE, 2013. 1139–1146. [doi: 10.1145/2492517.2500273]
- [36] Wang Z, Chu Y, Tan KL, Agrawal D, Abbadi AE, Xu X. Scalable data cube analysis over big data. Computer Science, 2013.
- [37] Li X, Han J, Gonzalez H. High-Dimensional OLAP: A minimal cubing approach. In: Proc. of the 30th Int'l Conf. on Very Large Data Bases. VLDB Endowment, 2004. 528–539.
- [38] Beheshti SMR. Scalable graph-based OLAP analytics over process execution data. Distributed & AMP; Parallel Databases, 2016, 34(3):379–423. [doi: 10.1007/s10619-014-7171-9]
- [39] Valiant LG. A bridging model for parallel computation. Communications of the ACM, 1990,33(8):103–111. [doi: 10.1145/79173.79181]
- [40] Apache Software Foundation. The apache giraph project. 2017. <http://giraph.apache.org/>
- [41] Low Y, Gonzalez JE, Kyrola A, Bickson D, Guestrin C, Hellerstein JM. GraphLab: A new framework for parallel machine learning. Computer Science, 2014.



张子兴(1994—),男,河北唐山人,硕士,主要研究领域为 Graph mining,OLAP.



孙思瑞(1995—),女,主要研究领域为数据挖掘,复杂网络.



吴斌(1969—),男,博士,教授,博士生导师,CCF 高级会员,主要研究领域为数据挖掘,复杂网络.



彭程程(1996—),女,主要研究领域为数据挖掘,社会网络分析.



吴心宇(1993—),男,硕士,主要研究领域为 Graph mining,OLAP.



刘昱彤(1996—),女,主要研究领域为数据挖掘,社会网络分析.



张有杰(1996—),男,主要研究领域为数据挖掘,社会网络分析.