

- [2] Ma SW. History and recent development of AVS video coding standards. *Journal of Computer Research and Development*, 2015,52(1):27–37 (in Chinese with English abstract). [doi: 10.7544/issn1000-1239.2015.20140106]
- [3] Bossen F, Bross B, Sühring K, Flynn D. HEVC complexity and implementation analysis. *IEEE Trans. on Circuits and Systems for Video Technology*, 2012,22(12):1685–1696. [doi: 10.1109/TCSVT.2012.2221255]
- [4] Sinangil ME, Sze V, Zhou MH, Chandrakasan AP. Cost and coding efficient motion estimation design considerations for high efficiency video coding (HEVC) standard. *IEEE Journal of Selected Topics in Signal Processing*, 2013,7(6):1017–1028. [doi: 10.1109/JSTSP.2013.2273658]
- [5] Zhu S, Ma KK. A new diamond search algorithm for fast block-matching motion estimation. *IEEE Trans. on Image Processing*, 2000,9(2):287–290. [doi: 10.1109/83.821744]
- [6] Cheung CH, Po LM. Novel cross-diamond-hexagonal search algorithms for fast block motion estimation. *IEEE Trans. on Multimedia*, 2005,7(1):16–22. [doi: 10.1109/TMM.2004.840609]
- [7] Kuo CM, Kuan YH, Hsieh CH, Lee YH. A novel prediction-based directional asymmetric search algorithm for fast block matching motion estimation. *IEEE Trans. on Circuits and Systems for Video Technology*, 2009,19(6):893–898. [doi: 10.1109/TCSVT.2009.2017420]
- [8] Lin WY, Panusopone K, Baylon DM, Sun MT, Chen ZZ, Li HX. A fast sub-pixel motion estimation algorithm for H.264/AVC video coding. *IEEE Trans. on Circuits and Systems for Video Technology*, 2011,21(2):237–243. [doi: 10.1109/TCSVT.2011.2106290]
- [9] Pan ZQ, Zhang Y, Kwong S, Wang X, Xu L. Early termination for TZSearch in HEVC motion estimation. In: Krishnamurthy V, Plataniotis K, eds. *Proc. of the IEEE Int'l Conf. on Acoustics, Speech and Signal Processing*. Piscataway: IEEE Computer Society Press, 2013. 1389–1393. [doi: 10.1109/ICASSP.2013.6637879]
- [10] Ismail Y, McNeely JB, Shaaban M, Mahmoud H, Bayoumi MA. Fast motion estimation system using dynamic models for H264/AVC video coding. *IEEE Trans. on Circuits and Systems for Video Technology*, 2012,22(1):28–42. [doi: 10.1109/TCSVT.2011.2148450]
- [11] Nguyen T, Nguyen P, Dinh C. A novel search pattern for motion estimation in high efficiency video coding. In: Arumugam S, ed. *Proc. of the Int'l Conf. on Computer Communication and Informatics*. Piscataway: IEEE Computer Society Press, 2016. 1–6. [doi: 10.1109/CCCI.2016.7479971]
- [12] Medhat A, Shalaby A, Sayed MS, Elsabrouty M, Mehdipour F. Adaptive low-complexity motion estimation algorithm for high efficiency video coding encoder. *IET Image Processing*, 2016,10(6):438–447. [doi: 10.1049/iet-ipr.2015.0666]
- [13] Fan R, Zhang YF, Li B, Wang G. Multidirectional parabolic prediction-based interpolation-free sub-pixel motion estimation. *Signal Processing: Image Communication*, 2017,53(1):123–134. [doi: 10.1016/j.image.2017.02.005]
- [14] Lengwehasatit K, Ortega A. Probabilistic partial-distance fast matching algorithms for motion estimation. *IEEE Trans. on Circuits and Systems for Video Technology*, 2001,11(2):139–152. [doi: 10.1109/76.905981]
- [15] Wang CN, Yang SW, Liu CM, Chiang T. A hierarchical N -queen decimation lattice and hardware architecture for motion estimation. *IEEE Trans. on Circuits and Systems for Video Technology*, 2004,14(4):429–440. [doi: 10.1109/TCSVT.2004.825550]
- [16] Song CM, Wang XH. Research progress in video motion estimation techniques in the wavelet domain. *Chinese Journal of Computers*, 2005,28(10):1716–1727 (in Chinese with English abstract).
- [17] Zhang R, Comer ML. Rate distortion performance of pyramid and subband motion compensation based on quantization theory. *IEEE Trans. on Circuits and Systems for Video Technology*, 2010,20(12):1876–1881. [doi: 10.1109/TCSVT.2010.2077478]
- [18] Bao XN, Zhou DJ, Liu PL, Goto S. An advanced hierarchical motion estimation scheme with lossless frame recompression and early-level termination for beyond high-definition video coding. *IEEE Trans. on Multimedia*, 2012,14(2):237–249. [doi: 10.1109/TMM.2011.2171677]
- [19] Saha A, Mukherjee J, Sural S. New pixel-decimation patterns for block matching in motion estimation. *Signal Processing: Image Communication*, 2008,23(10):725–738. [doi: 10.1016/j.image.2008.08.004]
- [20] Cheung CK, Po LM. Normalized partial distortion search algorithm for block motion estimation. *IEEE Trans. on Circuits and Systems for Video Technology*, 2000,10(3):417–422. [doi: 10.1109/76.836286]
- [21] Hui KC, Siu WC, Chan YL. New adaptive partial distortion search using clustered pixel matching error characteristic. *IEEE Trans. on Image Processing*, 2005,14(5):597–607. [doi: 10.1109/TIP.2005.846020]

- [22] Montrucchio B, Quaglia D. New sorting-based lossless motion estimation algorithms and a partial distortion elimination performance analysis. *IEEE Trans. on Circuits and Systems for Video Technology*, 2005,15(2):210–220. [doi: 10.1109/TCSVT.2004.841689]
- [23] Yang LB, Yu KM, Li J, Li SP. An effective variable block-size early termination algorithm for H.264 video coding. *IEEE Trans. on Circuits and Systems for Video Technology*, 2005,15(6):784–788. [doi: 10.1109/TCSVT.2005.848306]
- [24] Gharavi H, Mills M. Blockmatching motion estimation algorithms—New results. *IEEE Trans. on Circuits and Systems*, 1990,37(5):649–651. [doi: 10.1109/31.55010]
- [25] Chen MJ, Chen LG, Chiueh TD, Lee YP. A new block-matching criterion for motion estimation and its implementation. *IEEE Trans. on Circuits and Systems for Video Technology*, 1995,5(3):231–236. [doi: 10.1109/76.401100]
- [26] Xiong B, Zhu C. A new multiplication-free block matching criterion. *IEEE Trans. on Circuits and Systems for Video Technology*, 2008,18(10):1441–1446. [doi: 10.1109/TCSVT.2008.2002824]
- [27] Yavuz S, Çelebi A, Aslam M, Urhan O. Selective gray-coded bit-plane based low-complexity motion estimation and its hardware architecture. *IEEE Trans. on Consumer Electronics*, 2016,62(1):76–84.
- [28] AlQaralleh EA, Abu-Sharkh OMF. Low-complexity motion estimation design using modified XOR function. *Multimedia Tools and Applications*, 2016,75(24):16809–16834. [doi: 10.1007/s11042-015-2948-z]
- [29] Ertürk A, Ertürk S. Two-bit transform for binary block motion estimation. *IEEE Trans. on Circuits and Systems for Video Technology*, 2005,15(7):938–946. [doi: 10.1109/TCSVT.2005.848340]
- [30] Ertürk S. Multiplication-free one-bit transform for low-complexity block-based motion estimation. *IEEE Signal Processing Letters*, 2007,14(2):109–112. [doi: 10.1109/LSP.2006.882088]
- [31] Lee H, Jeong J. Early termination scheme for binary motion estimation. *IEEE Trans. on Consumer Electronics*, 2007,53(4):1682–1686. [doi: 10.1109/TCE.2007.4429270]
- [32] Çelebi A, Akbulut O, Urhan O, Hamzaoglu İ, Ertürk S. An all binary sub-pixel motion estimation approach and its hardware architecture. *IEEE Trans. on Consumer Electronics*, 2008,54(4):1928–1937. [doi: 10.1109/TCE.2008.4711255]
- [33] Song CM, Guo YW, Wang XH, Liu D. Motion estimation algorithm using 2 bit-depth pixel and fuzzy quantization. *Journal on Communications*, 2013,34(7):59–70 (in Chinese with English abstract). [doi: 10.3969/j.issn.1000-436x.2013.07.007]
- [34] Song CM, Guo YW, Wang XH, Liu D. Fuzzy quantization based bit transform for low bit-resolution motion estimation. *Signal Processing: Image Communication*, 2013,28(10):1435–1447. [doi: 10.1016/j.image.2013.09.007]
- [35] Li B, Xu JZ, Wu F. A unified framework of hash-based matching for screen content coding. In: Farrugia R, Magli E, Zhang J, eds. *Proc. of the IEEE Visual Communications and Image Processing Conf.* Piscataway: IEEE Computer Society Press, 2014. 530–533. [doi: 10.1109/VCIP.2014.7051623]
- [36] Zhu WJ, Ding WP, Xu JZ, Shi YH, Yin BC. Hash-based block matching for screen content coding. *IEEE Trans. on Multimedia*, 2015,17(7):935–944. [doi: 10.1109/TMM.2015.2428171]
- [37] Park CS. Level-set-based motion estimation algorithm for multiple reference frame motion estimation. *Journal of Visual Communication and Image Representation*, 2013,24(8):1269–1275. [doi: 10.1016/j.jvcir.2013.08.008]
- [38] Narroschke M, Swoboda R. Extending HEVC by an affine motion model. In: Antonio O, Said A, eds. *Proc. of the Picture Coding Symp.* Piscataway: IEEE Computer Society Press, 2013. 321–324. [doi: 10.1109/PCS.2013.6737748]
- [39] Ahmmed A, Hannuksela MM, Gabbouj M. Fisheye video coding using elastic motion compensated reference frames. In: Pereira F, Sharma G, eds. *Proc. of the Int'l Conf. on Image Processing.* Piscataway: IEEE Computer Society Press, 2016. 2027–2031. [doi: 10.1109/ICIP.2016.7532714]
- [40] Liu D, Wu F. Advances and trends of video coding technologies. *Communications of the CCF*, 2016,12(6):20–23 (in Chinese with English abstract).
- [41] Ahmmed A, Xu R, Naman AT, Alam MJ, Pickering M, Taubman D. Motion segmentation initialization strategies for bi-directional inter-frame prediction. In: Florencio D, Pérez-González F, eds. *Proc. of the Int'l Workshop on Multimedia Signal Processing.* Piscataway: IEEE Computer Society Press, 2013. 58–63. [doi: 10.1109/MMSp.2013.6659264]
- [42] Muhit AA, Pickering MR, Frater MR, Arnold JF. Video coding using fast geometry-adaptive partitioning and an elastic motion model. *Journal of Visual Communication and Image Representation*, 2012,23(1):31–41. [doi: 10.1016/j.jvcir.2011.07.003]

- [43] Wang Y, Lee O. Use of two-dimensional deformable mesh structures for video coding, Part I—the synthesis problem: mesh-based function approximation and mapping. *IEEE Trans. on Circuits and Systems for Video Technology*, 1996,6(6):636–646. [doi: 10.1109/76.544735]
- [44] Wang Y, Lee O, Vetro A. Use of two-dimensional deformable mesh structures for video coding, Part II—the analysis problem and a region-based coder employing an active mesh representation. *IEEE Trans. on Circuits and Systems for Video Technology*, 1996, 6(6):647–659. [doi: 10.1109/76.544736]
- [45] Altunbasak Y, Tekalp AM. Closed-form connectivity-preserving solutions for motion compensation using 2-D meshes. *IEEE Trans. on Image Processing*, 1997,6(9):1255–1269. [doi: 10.1109/83.623189]
- [46] Wu F, Gao P, Gao W. Motion estimation technologies based on mesh model. *Acta Electronica Sinica*, 2000,28(5):47–51 (in Chinese with English abstract).
- [47] Al-Regib G, Altunbasak Y, Mersereau RM. Hierarchical motion estimation with content-based meshes. *IEEE Trans. on Circuits and System for Video Technology*, 2003,13(10):1000–1005. [doi: 10.1109/TCSVT.2003.816520]
- [48] Cui SX, Wang YH, Fowler JE. Motion estimation and compensation in the redundant-wavelet domain using triangle meshes. *Signal Processing: Image Communication*, 2006,21(7):586–598. [doi: 10.1016/j.image.2006.03.011]
- [49] Jin SY. Research of motion object-based mesh model for motion estimation [MS. Thesis]. Xi'an: Northwestern Polytechnical University, 2006 (in Chinese with English abstract).
- [50] Huang H. Research on inter/intra prediction and optimization techniques in HEVC [Ph.D. Thesis]. Beijing: Beijing Jiaotong University, 2013 (in Chinese with English abstract).
- [51] Rath GB, Makur A. Iterative least squares and compression based estimations for a four-parameter linear global motion model and global motion compensation. *IEEE Trans. on Circuits and Systems for Video Technology*, 1999,9(7):1075–1099. [doi: 10.1109/76.795060]
- [52] Wiegand T, Steinbach E, Girod B. Affine multipicture motion-compensated prediction. *IEEE Trans. on Circuits and Systems for Video Technology*, 2005,15(2):197–209. [doi: 10.1109/TCSVT.2004.841690]
- [53] Kordasiewicz RC, Gallant MD, Shirani S. Affine motion prediction based on translational motion vectors. *IEEE Trans. on Circuits and Systems for Video Technology*, 2007,17(10):1388–1394. [doi: 10.1109/TCSVT.2007.903777]
- [54] Huang H, Woods JW, Zhao Y, Bai HH. Control-point representation and differential coding affine-motion compensation. *IEEE Trans. on Circuits and Systems for Video Technology*, 2013,23(10):1651–1660. [doi: 0.1109/TCSVT.2013.2254977]
- [55] Ren L. The application of deformable block matching algorithm [MS. Thesis]. Tianjin: Tianjin University, 2007 (in Chinese with English abstract).
- [56] Zheng JL, Qin TF, Ni GN. Adaptive global motion estimation method based on rate distortion optimization. *Journal of Image and Graphics*, 2011,16(8):1346–1352 (in Chinese with English abstract).
- [57] Po LM, Wong KM, Cheung KW, Ng KH. Subsampled block-matching for zoom motion compensated prediction. *IEEE Trans. on Circuits and Systems for Video Technology*, 2010,20(11):1625–1637. [doi: 10.1109/TCSVT.2010.2087474]
- [58] Yuan H, Liu J, Sun JD, Liu HC, Li YJ. Affine model based motion compensation prediction for zoom. *IEEE Trans. on Multimedia*, 2012,14(4):1370–1375. [doi: 10.1109/TMM.2012.2190393]
- [59] Kim HS, Lee JH, Kim CK, Kim BG. Zoom motion estimation using block-based fast local area scaling. *IEEE Trans. on Circuits and Systems for Video Technology*, 2012,22(9):1280–1291. [doi: 10.1109/TCSVT.2012.2198137]
- [60] Muhit AA, Pickering MR, Frater MR, Arnold JF. Video coding using elastic motion model and larger blocks. *IEEE Trans. on Circuits and Systems for Video Technology*, 2010,20(5):661–672. [doi: 10.1109/TCSVT.2010.2045804]
- [61] Deng BY. Study on video compression based on elastic motion model [MS. Thesis]. Xiamen: Xiamen University, 2014 (in Chinese with English abstract).
- [62] Song CM, Zhao CW, Liu D, Wang XH. Elastic motion estimation of video using improved Gauss-Newton method. *Ruan Jian Xue Bao/Journal of Software*, 2016,27(11):2946–2960 (in Chinese with English abstract). <http://www.jos.org.cn/1000-9825/4886.htm> [doi: 10.13328/j.cnki.jos.004886]
- [63] Zhao CW. Research on motion estimation algorithm using elastic model [MS. Thesis]. Dalian: Liaoning Normal University, 2015 (in Chinese with English abstract).

- [64] Haque MN, Biswas M, Pickering MR, Frater MR. A low complexity algorithm for global motion parameter estimation targeting hardware implementation. In: Shi H, Zhang YC, Bottema MJ, Lovell BC, Maeder AJ, eds. Proc. of the Digital Image Computing: Techniques and Applications. Piscataway: IEEE Computer Society Press, 2009. 1–5. [doi: 10.1109/DICTA.2009.11]
- [65] Haque MN, Biswas M, Pickering MR, Frater MR. An adaptive low-complexity global motion estimation algorithm. In: Saito T, Asai K, Aizawa K, Yoshida T, eds. Proc. of the Picture Coding Symp. Piscataway: IEEE Computer Society Press, 2010. 598–601. [doi: 10.1109/PCS.2010.5702574]
- [66] Haque MN, Biswas M, Pickering MR, Frater MR. A low-complexity image registration algorithm for global motion estimation. IEEE Trans. on Circuits and Systems for Video Technology, 2012,22(3):426–433. [doi: 10.1109/TCSVT.2011.2163983]
- [67] Gao L. Numerical Optimization Method. Beijing: Peking University Press, 2014 (in Chinese).
- [68] Baker S, Matthews I. Lucas-Kanade 20 years on: A unifying framework. Int'l Journal of Computer Vision, 2004,56(3):221–255. [doi: 10.1023/B:VISI.0000011205.11775.f0]
- [69] Levenberg K. A method for the solution of certain nonlinear problems in least squares. Quarterly of Applied Mathematics, 1944,2(2):164–168. [doi: 10.1090/qam/10666]
- [70] Marquardt DW. An algorithm for least squares estimation of nonlinear parameters. Journal of the Society for Industrial and Applied Mathematics, 1963,11(2):431–441.
- [71] Yamashita N, Fukushima M. On the rate of convergence of the Levenberg-Marquardt method. In: Alefeld G, Chen XJ, eds. Topics in Numerical Analysis, with Special Emphasis on Nonlinear Problems. Vienna: Springer-Verlag, 2001. 239–249. [doi: 10.1007/978-3-7091-6217-0_18]
- [72] Suratgar AA, Tavakoli MB, Hoseinabadi A. Modified Levenberg-Marquardt method for neural networks training. Int'l Journal of Computer and Information Engineering, 2007,1(6):1745–1747.
- [73] Fan JY, Yuan YX. On the quadratic convergence of the Levenberg-Marquardt method without nonsingularity assumption. Computing, 2005,74(1):23–39. [doi: 10.1007/s00607-004-0083-1]
- [74] Chen TC, Han DJ, Au FTK, Tham LG. Acceleration of Levenberg-Marquardt training of neural networks with variable decay rate. In: Wunsch II DC, Hasselmo ME, Venayagamoorthy GK, Wang D, eds. Proc. of the Int'l Joint Conf. on Neural Networks. Amsterdam: Elsevier Science, 2003. 1873–1878. [doi: 10.1109/IJCNN.2003.1223693]
- [75] Kwak YT, Hwang JW, Yoo CJ. A new damping strategy of Levenberg-Marquardt algorithm for multilayer perceptrons. Neural Network World, 2011,21(4):327–340. [doi: 10.14311/NNW.2011.21.020]
- [76] Qi LY, Xiao XT, Zhang LW. A parameter-self-adjusting Levenberg-Marquardt method for solving nonsmooth equations. Journal of Computational Mathematics, 2016,34(3):317–338. [doi: 10.4208/jcm.1512-m2015-0333]
- [77] Transtrum MK, Sethna JP. Improvements to the Levenberg-Marquardt algorithm for nonlinear least-squares minimization. 2012. <http://arxiv.org/abs/1201.5885>
- [78] Li MH, Bai M, Lü YJ. Application of LM algorithm in parameter estimation for second-order over-damped system. Process Automation Instrumentation, 2016,36(7):90–93 (in Chinese with English abstract).

附中文参考文献:

- [2] 马思伟. AVS 视频编码标准技术回顾及最新进展. 计算机研究与发展, 2015,52(1):27–37. [doi: 10.7544/issn1000-1239.2015.20140106]
- [16] 宋传鸣, 王相海. 小波域视频运动估计研究进展. 计算机学报, 2005,28(10):1716–1727.
- [33] 宋传鸣, 郭延文, 王相海, 刘丹. 基于模糊量化和 2bit 深度像素的运动估计算法. 通信学报, 2013,34(7):59–70. [doi: 10.3969/j.issn.1000-436x.2013.07.007]
- [40] 刘东, 吴枫. 视频编码技术发展及趋势. 中国计算机学会通信, 2016,12(6):20–23.
- [46] 吴枫, 高鹏, 高文. 基于网格模型的运动估计技术. 电子学报, 2000,28(5):47–51.
- [49] 金晟毅. 基于运动对象网格模型的运动估计方法研究[硕士学位论文]. 西安: 西北工业大学, 2006.
- [50] 黄晗. HEVC 帧间/帧内预测及优化技术研究[博士学位论文]. 北京: 北京交通大学, 2013.
- [55] 任亮. 可变形状匹配算法(DBMA)的应用研究[硕士学位论文]. 天津: 天津大学, 2007.
- [56] 郑嘉利, 覃团发, 倪光南. 结合率失真优化的自适应全局运动估计方法. 中国图像图形学报, 2011,16(8):1346–1352.
- [61] 邓斌攸. 基于弹性运动模型的视频压缩算法研究[硕士学位论文]. 厦门: 厦门大学, 2014.

- [62] 宋传鸣,赵长伟,刘丹,王相海.采用改进高斯-牛顿法的视频弹性运动估计.软件学报,2016,27(11):2946-2960. <http://www.jos.org.cn/1000-9825/4886.htm> [doi: 10.13328/j.cnki.jos.004886]
- [63] 赵长伟.基于弹性模型的运动估计算法研究[硕士学位论文].大连:辽宁师范大学,2015.
- [67] 高立.数值最优化方法.北京:北京大学出版社,2014.
- [78] 李敏花,柏猛,吕英俊.LM 算法在二阶过阻尼系统参数估计中的应用.自动化仪表,2016,36(7):90-93.



宋传鸣(1980—),男,辽宁沈阳人,博士,副教授,CCF 专业会员,主要研究领域为图像及视频编码,多尺度几何分析,多媒体水印技术.



王相海(1964—),男,博士,教授,博士生导师,CCF 高级会员,主要研究领域为图像及视频信息处理,遥感影像信息处理,计算机图形学.



闵新(1992—),男,博士生,主要研究领域为视频编码.



尹宝才(1963—),男,博士,教授,博士生导师,CCF 高级会员,主要研究领域为数字多媒体技术,多功能感知,虚拟现实,计算机图形学.



闫小红(1993—),女,硕士生,主要研究领域为视频编码.